

129 PALE PITCH

SINGLE GATES								DOUBLE GATES							
WIDTH Between Posts	Nom. Width	Actual Clear Opening	1.5M High	1.8M High	2.0M High	2.5M High	(DIG IN) FOUNDATION (B/PLATE) FOUNDATION	WIDTH Between Posts	Nom. Width	Actual Clear Opening	1.5M High	1.8M High	2.0M High	2.5M High	(DIG IN) FOUNDATION (B/PLATE) FOUNDATION
848		663					250 x 250 x 800 DEEP 300 x 300 x 800 DEEP	1671		1301					250 x 250 x 800 DEEP 300 x 300 x 800 DEEP
977		792						1929	2.0M	1559					
1106	1.0M	921						2187		1817					
1235	1.25M	1050						2445	2.5M	2075					
1364		1179						2703	2.75M	2333					
1493	1.5M	1308						2961	3.0M	2591					
1622		1437						3219	3.25M	2849					
1751	1.75M	1566						3477	3.5M	3107					
1880		1695						3735	3.75M	3365					
2009	2.0M	1824						3993	4.0M	3623					
2138		1953						4251	4.25M	3881					
2267	2.25M	2082						4509	4.5M	4139					
2396		2211						4767	4.75M	4397					
2525	2.5M	2340						5025	5.0M	4655					
2654		2469					5283	5.25M	4913						
2783	2.75M	2598					5541	5.5M	5171						
2912		2727					5799	5.75M	5429						
3041	3.0M	2856					6057	6.0M	5687						
3170		2985					6315		5945						
3299	3.25M	3114					6573	6.5M	6203						
3428		3243					6831		6461						
3557	3.5M	3372					7089	7.0M	6719						
3686		3501					7347		6977						
3815		3630					7605	7.5M	7235						
3944		3759					7863		7493						
4073	4.0M	3888					8121	8.0M	7751						
4202		4017					8379		8009						
4331		4146					8637	8.5M	8267						
4460		4275					8895		8525						
4589	4.5M	4404					9153	9.0M	8783						
4718		4533					9411		9041						
4847		4662					9669	9.5M	9299						
4976		4791					9927		9557						
5105	5.0M	4920					10185	10.0M	9815						

(ALL SLAM POSTS ARE 100 x 100 x 3 RHS)
(FOR LOCINOX LOCKS ADD 7mm)

NOTES

ALL DIMENSIONS ARE IN mm (U.N.O)
GATES THAT FALL WITHIN HATCHED AREA
REQUIRE THIRD RAIL & CROSS BRACES
ACTUAL CLEAR OPENING SIZES SHOWN
ARE GATES OPEN AT 90°,
IF GATES OPEN AT 180° THEN
FOR SINGLE GATES ADD 135
FOR DOUBLE GATES ADD 270
TO CLEAR OPENING SIZE
(BETWEEN POST SIZE REMAINS THE SAME)

SEE DRG's J1/04028 & J1/04029
FOR BARBICAN GATE DRAWINGS
SEE DRG's J6/02041 & J6/02042
FOR SENTRY GATE DRAWINGS
FOUNDATION SIZES ARE BASED
ON GOOD GROUND CONDITIONS &
MAY VARY ACCORDING TO SITE CONDITIONS

4.5M LEAF & ABOVE – TUBE HINGE BOXES
(900mm POST IN GROUND)
6M LEAF – 200 x 200 x 6.3 RHS POSTS

Drawn KB	Checked	④ 06/01/06	NOTES
Date 04/01/01	Size A3	③ 10/03/05	POST SIZES
	Scale N.T.S U.O.S	② 11/05/04	PORTRIAT BORDER

DO NOT SCALE – IF IN DOUBT ASK

Jacksons

FINE FENCING

Stowting Common, Near Ashford,
KENT. TN25 6BN
Telephone : 01233 750393
Fax: 01233 750403
Int. Tel : +44 (0)1233 750393

TITLE BARBICAN / SENTRY GATES
 129 PALE PITCH

CUSTOMER

Drawing No.

92 J1/04047

ACK No.

Sheet 1 of 2