

# 129 PALE PITCH

SINGLE GATES								DOUBLE GATES							
WIDTH Between Posts	Nom. Width	Actual Clear Opening	1.5M High	1.8M High	2.0M High	2.5M High	(OIG IN) FOUNDATION (B/PLATE) FOUNDATION	WIDTH Between Posts	Nom. Width	Actual Clear Opening	1.5M High	1.8M High	2.0M High	2.5M High	(OIG IN) FOUNDATION (B/PLATE) FOUNDATION
848		663						1671		1301					
977	1.0M	792						1929	2.0M	1559					
1106		921						2187		1817					
1235	1.25M	1050						2445	2.5M	2075					
1364		1179						2703	2.75M	2333					
1493	1.5M	1308						2961	3.0M	2591					
1622		1437						3219	3.25M	2849					
1751	1.75M	1566						3477	3.5M	3107					
1880		1695						3735	3.75M	3365					
2009	2.0M	1824						3993	4.0M	3623					
2138		1953						4251	4.25M	3881					
2267	2.25M	2082						4509	4.5M	4139					
2396		2211						4767	4.75M	4397					
2525	2.5M	2340						5025	5.0M	4655					
2654		2469						5283	5.25M	4913					
2783	2.75M	2598						5541	5.5M	5171					
2912		2727						5799	5.75M	5429					
3041	3.0M	2856						6057	6.0M	5687					
3170		2985						6315		5945					
3299	3.25M	3114						6573	6.5M	6203					
3428		3243						6831		6461					
3557	3.5M	3372						7089	7.0M	6719					
3686		3501						7347		6977					
3815		3630						7605	7.5M	7235					
3944		3759						7863		7493					
4073	4.0M	3888						8121	8.0M	7751					
4202		4017						8379		8009					
4331		4146						8637	8.5M	8267					
4460		4275						8895		8525					
4589	4.5M	4404						9153	9.0M	8783					
4718		4533						9411		9041					
4847		4662						9669	9.5M	9299					
4976		4791						9927		9557					
5105	5.0M	4920						10185	10.0M	9815					

(ALL SLAM POSTS ARE 100 x 100 x 3 RHS)  
(FOR LOCINOX LOCKS ADD 7mm)

## NOTES

ALL DIMENSIONS ARE IN mm (U.N.O)

GATES THAT FALL WITHIN HATCHED AREA REQUIRE THIRD RAIL & CROSS BRACES

ACTUAL CLEAR OPENING SIZES SHOWN

ARE GATES OPEN AT 90°,  
IF GATES OPEN AT 180° THEN  
FOR SINGLE GATES ADD 135  
FOR DOUBLE GATES ADD 270  
TO CLEAR OPENING SIZE  
(BETWEEN POST SIZE REMAINS THE SAME)

SEE DRG's J1/04028 & J1/04029  
FOR BARBICAN GATE DRAWINGS

SEE DRG's J6/02041 & J6/02042  
FOR SENTRY GATE DRAWINGS

FOUNDATION SIZES ARE BASED  
ON GOOD GROUND CONDITIONS &  
MAY VARY ACCORDING TO SITE CONDITIONS

4.5M LEAF & ABOVE – TUBE HINGE BOXES  
(900mm POST IN GROUND)  
6M LEAF – 200 x 200 x 6.3 RHS POSTS

Drawn KB	Checked	④	06/01/06	NOTES
Date 04/01/01	Size A3	③	10/03/05	POST SIZES
	Scale N.T.S U.O.S	②	11/05/04	PORTRIAT BORDER

DO NOT SCALE – IF IN DOUBT ASK

## Jacksons

**FINE FENCING**

Stowting Common, Near Ashford,  
KENT. TN25 6BN  
Telephone : 01233 750393  
Fax: 01233 750403  
Int. Tel : +44 (0)1233 750393

TITLE	BARBICAN / SENTRY GATES 129 PALE PITCH
CUSTOMER	Drawing No. <b>92 J1/04047</b>
ACK No.	Sheet 1 of 2

This Drawing Is The Property Of H.S. Jackson & Son (Fencing) Ltd.  
And May Not Be Copied Or Reproduced In Any Way Without Prior Written Permission.